# Contents

### NUMBER 1

- 1 Editorial
- 173 R. A. Kemp and M. A. Zárate. Pliocene pedosedimentary cycles in the southern Pampas, Argentina
- 5. T. Abbott. Detached mud prism origin of highstand systems tracts from mid-Pleistocene sequences, Wanganui Basin, New Zealand
- 31 D. R. Lowe and M. Guy. Slurry-flow deposits in the Britannia Formation (Lower Cretaceous), North Sea: a new perspective on the turbidity current and debris flow problem
- 71 M. Z. Li and G. Gust. Boundary layer dynamics and drag reduction in flows of high cohesive sediment suspensions
- 87 S. W. Bull and R. A. F. Cas. Distinguishing base-surge deposits and volcaniclastic fluviatile sediments: an ancient example from the Lower Devonian Snowy River Volcanics, south-eastern Australia
- 99 T. M. Goodall, C. P. North and K. W. Glennie. Surface and subsurface sedimentary structures produced by salt crusts
- 119 M. Zuther, O. Brockamp and N. Clauer. Composition and origin of clay minerals in Holocene sediments from the south-eastern North Sea
- 135 Y. Hiroki and F. Masuda. Gravelly spit deposits in a transgressive systems tract: the Pleistocene Higashikanbe Gravel, central Japan
- 131 A. C. Kendall. Compaction in halite-cemented carbonates – the Dawson Bay Formation (Middle Devonian) of Saskatchewan, Canada
- 173 L. A. Kessels, D. F. Sibley and S. H. Nordeng. Nanotopography of synthetic and natural dolomite crystals
- 187 P. G. Milroy and V. P. Wright. A highstand oolitic sequence and associated facies from a Late Triassic lake basin, south-west England
- 211 C. McKenna Neuman, N. Lancaster and W. G. Nickling. The effect of unsteady winds on sediment transport on the stoss slope of a transverse dune, Silver Peak, NV, USA
- 227 P. A. Carling, E. Gölz, H. G. Orr and A. Radecki-Pawlik. The morphodynamics of fluvial sand dunes in the River Rhine, near Mainz, Germany. I. Sedimentology and morphology
- 253 P. A. Carling, J. J. Williams, E. Gölz and A. D. Kelsey. The morphodynamics of fluvial sand dunes in the River Rhine, near Mainz, Germany. II. Hydrodynamics and sediment transport

#### NUMBER 2

- 279 G. Gerdes, T. Klenke and N. Noffke. Microbial signatures in peritidal siliciclastic sediments: a catalogue
- 309 D. de F. Rossetti, A. M. Góes, W. Truckenbrodt and J. Anaisse Jr. Tsunami-induced large-scale scour-and-fill structures in Late Albian to Cenomanian deposits of the Grajaú Basin, northern Brazil
- 325 J. D. Marshall. Sedimentology of a Devonian fault-bounded braidplain and lacustrine fill in the lower part of the Skrinkle Sandstones, Dyfed, Wales
- 343 C. H. Eyles and N. Eyles. Subaqueous mass flow origin for Lower Permian diamictites and associated facies of

- the Grant Group, Barbwire Terrace, Canning Basin, Western Australia
- 357 J. V. Smith. Flow pattern within a Permian submarine slump recorded by oblique folds and deformed fossils, Ulladulla, south-eastern Australia
- 367 S. G. Robinson and J. T. S. Sahota. Rock-magnetic characterization of early, redoxomorphic diagenesis in turbiditic sediments from the Madeira Abyssal Plain
- 395 M. E. J. Wilson, D. W. J. Bosence and A. Limbong. Tertiary syntectonic carbonate platform development in Indonesia
- 421 G. R. Dix and K. Kyser. Punctuated environmental change along the Holocene (<6 ka) bank margin of south-west Exuma Sound, Bahamas
- 435 R. L. Van Dam and W. Schlager. Identifying causes of ground-penetrating radar reflections using time-domain reflectometry and sedimentological analyses
- 451 B. Hathway and S. P. Kelley. Sedimentary record of explosive silicic volcanism in a Cretaceous deep-marine conglomerate succession, northern Antarctic Peninsula

# NUMBER 3

- 471 P. A. Drzewiecki and J. A. Simo. Tectonic, eustatic and environmental controls on mid-Cretaceous carbonate platform deposition, south-central Pyrenees, Spain
- 497 P. D. W. Haughton. Evolving turbidite systems on a deforming basin floor, Tabernas, SE Spain
- 519 R. Kostaschuk. A field study of turbulence and sediment dynamics over subaqueous dunes with flow separation
- 533 P. J. Ashworth, J. L. Best, J. E. Roden, C. S. Bristow and G. J. Klaassen. Morphological evolution and dynamics of a large, sand braid-bar, Jamuna River, Bangladesh
- 557 J. A. Dowdeswell, R. J. Whittington, A. E. Jennings, J. T. Andrews, A. Mackensen and P. Marienfeld. An origin for laminated glacimarine sediments through sea-ice build-up and suppressed iceberg rafting
- 577 M. J. Hambrey and B. McKelvey. Neogene fjordal sedimentation on the western margin of the Lambert Graben, East Antarctica
- 609 C. S. Nelson and N. P. James. Marine cements in mid-Tertiary cool-water shelf limestones of New Zealand and southern Australia
- 631 J. P. Hendry, M. Wilkinson, A. E. Fallick and N. H. Trewin. Disseminated 'jigsaw piece' dolomite in Upper Jurassic shelf sandstones, Central North Sea: an example of cement growth during bioturbation?
- 645 J. R. Bahamonde, C. Vera and J. R. Colmenero. A steepfronted Carboniferous carbonate platform: clinoformal geometry and lithofacies (Picos de Europa, NW Spain)
- 665 F. Ortí and L. Rosell. Evaporative systems and diagenetic patterns in the Calatayud Basin (Miocene, central Spain)
- 687 C. Harris, J. Murton and M. C. R. Davies. Soft-sediment deformation during thawing of ice-rich frozen soils: results of scaled centrifuge modelling experiments
- 701 M. Perez-Arlucea, G. Mack and M. Leeder. Reconstructing the ancestral (Plio-Pleistocene) Rio Grande in its active tectonic setting, southern Rio Grande rift, New Mexico, USA
- 721 H. M. Pedley, I. Hill, P. Denton and J. Brasington. Threedimensional modelling of a Holocene tufa system in the Lathkill Valley, north Derbyshire, using ground-penetrating radar
- 739 Book reviews

# Contents

### NUMBER 1

- 1 Editorial
- 173 R. A. Kemp and M. A. Zárate. Pliocene pedosedimentary cycles in the southern Pampas, Argentina
- 5. T. Abbott. Detached mud prism origin of highstand systems tracts from mid-Pleistocene sequences, Wanganui Basin, New Zealand
- 31 D. R. Lowe and M. Guy. Slurry-flow deposits in the Britannia Formation (Lower Cretaceous), North Sea: a new perspective on the turbidity current and debris flow problem
- 71 M. Z. Li and G. Gust. Boundary layer dynamics and drag reduction in flows of high cohesive sediment suspensions
- 87 S. W. Bull and R. A. F. Cas. Distinguishing base-surge deposits and volcaniclastic fluviatile sediments: an ancient example from the Lower Devonian Snowy River Volcanics, south-eastern Australia
- 99 T. M. Goodall, C. P. North and K. W. Glennie. Surface and subsurface sedimentary structures produced by salt crusts
- 119 M. Zuther, O. Brockamp and N. Clauer. Composition and origin of clay minerals in Holocene sediments from the south-eastern North Sea
- 135 Y. Hiroki and F. Masuda. Gravelly spit deposits in a transgressive systems tract: the Pleistocene Higashikanbe Gravel, central Japan
- 131 A. C. Kendall. Compaction in halite-cemented carbonates – the Dawson Bay Formation (Middle Devonian) of Saskatchewan, Canada
- 173 L. A. Kessels, D. F. Sibley and S. H. Nordeng. Nanotopography of synthetic and natural dolomite crystals
- 187 P. G. Milroy and V. P. Wright. A highstand oolitic sequence and associated facies from a Late Triassic lake basin, south-west England
- 211 C. McKenna Neuman, N. Lancaster and W. G. Nickling. The effect of unsteady winds on sediment transport on the stoss slope of a transverse dune, Silver Peak, NV, USA
- 227 P. A. Carling, E. Gölz, H. G. Orr and A. Radecki-Pawlik. The morphodynamics of fluvial sand dunes in the River Rhine, near Mainz, Germany. I. Sedimentology and morphology
- 253 P. A. Carling, J. J. Williams, E. Gölz and A. D. Kelsey. The morphodynamics of fluvial sand dunes in the River Rhine, near Mainz, Germany. II. Hydrodynamics and sediment transport

#### NUMBER 2

- 279 G. Gerdes, T. Klenke and N. Noffke. Microbial signatures in peritidal siliciclastic sediments: a catalogue
- 309 D. de F. Rossetti, A. M. Góes, W. Truckenbrodt and J. Anaisse Jr. Tsunami-induced large-scale scour-and-fill structures in Late Albian to Cenomanian deposits of the Grajaú Basin, northern Brazil
- 325 J. D. Marshall. Sedimentology of a Devonian fault-bounded braidplain and lacustrine fill in the lower part of the Skrinkle Sandstones, Dyfed, Wales
- 343 C. H. Eyles and N. Eyles. Subaqueous mass flow origin for Lower Permian diamictites and associated facies of

- the Grant Group, Barbwire Terrace, Canning Basin, Western Australia
- 357 J. V. Smith. Flow pattern within a Permian submarine slump recorded by oblique folds and deformed fossils, Ulladulla, south-eastern Australia
- 367 S. G. Robinson and J. T. S. Sahota. Rock-magnetic characterization of early, redoxomorphic diagenesis in turbiditic sediments from the Madeira Abyssal Plain
- 395 M. E. J. Wilson, D. W. J. Bosence and A. Limbong. Tertiary syntectonic carbonate platform development in Indonesia
- 421 G. R. Dix and K. Kyser. Punctuated environmental change along the Holocene (<6 ka) bank margin of south-west Exuma Sound, Bahamas
- 435 R. L. Van Dam and W. Schlager. Identifying causes of ground-penetrating radar reflections using time-domain reflectometry and sedimentological analyses
- 451 B. Hathway and S. P. Kelley. Sedimentary record of explosive silicic volcanism in a Cretaceous deep-marine conglomerate succession, northern Antarctic Peninsula

# NUMBER 3

- 471 P. A. Drzewiecki and J. A. Simo. Tectonic, eustatic and environmental controls on mid-Cretaceous carbonate platform deposition, south-central Pyrenees, Spain
- 497 P. D. W. Haughton. Evolving turbidite systems on a deforming basin floor, Tabernas, SE Spain
- 519 R. Kostaschuk. A field study of turbulence and sediment dynamics over subaqueous dunes with flow separation
- 533 P. J. Ashworth, J. L. Best, J. E. Roden, C. S. Bristow and G. J. Klaassen. Morphological evolution and dynamics of a large, sand braid-bar, Jamuna River, Bangladesh
- 557 J. A. Dowdeswell, R. J. Whittington, A. E. Jennings, J. T. Andrews, A. Mackensen and P. Marienfeld. An origin for laminated glacimarine sediments through sea-ice build-up and suppressed iceberg rafting
- 577 M. J. Hambrey and B. McKelvey. Neogene fjordal sedimentation on the western margin of the Lambert Graben, East Antarctica
- 609 C. S. Nelson and N. P. James. Marine cements in mid-Tertiary cool-water shelf limestones of New Zealand and southern Australia
- 631 J. P. Hendry, M. Wilkinson, A. E. Fallick and N. H. Trewin. Disseminated 'jigsaw piece' dolomite in Upper Jurassic shelf sandstones, Central North Sea: an example of cement growth during bioturbation?
- 645 J. R. Bahamonde, C. Vera and J. R. Colmenero. A steepfronted Carboniferous carbonate platform: clinoformal geometry and lithofacies (Picos de Europa, NW Spain)
- 665 F. Ortí and L. Rosell. Evaporative systems and diagenetic patterns in the Calatayud Basin (Miocene, central Spain)
- 687 C. Harris, J. Murton and M. C. R. Davies. Soft-sediment deformation during thawing of ice-rich frozen soils: results of scaled centrifuge modelling experiments
- 701 M. Perez-Arlucea, G. Mack and M. Leeder. Reconstructing the ancestral (Plio-Pleistocene) Rio Grande in its active tectonic setting, southern Rio Grande rift, New Mexico, USA
- 721 H. M. Pedley, I. Hill, P. Denton and J. Brasington. Threedimensional modelling of a Holocene tufa system in the Lathkill Valley, north Derbyshire, using ground-penetrating radar
- 739 Book reviews

# NUMBER 4

- 741 J. P. Milana. Characterization of alluvial bajada facies distribution using TM imagery
- 761 N. P. James and Y. Bone. Eccene cool-water carbonate and biosiliceous sedimentation dynamics, St. Vincent Basin. South Australia
- 787 M.-P. Dabard. Petrogenesis of graphitic cherts in the Armorican segment of the Cadomian orogenic belt (NW France)
- 801 B. T. Cronin, K. Gürbüz, A. Hurst and N. Satur. Vertical and lateral organization of a carbonate deep-water slope marginal to a submarine fan system, Miocene, southern Turkey
- 825 N. Mountney and J. Howell. Aeolian architecture, bedform climbing and preservation space in the Cretaceous Etjo Formation, NW Namibia
- 851 J. J. Lukasik, N. P. James, B. McGowran and Y. Bone. An epeiric ramp: low-energy, cool-water carbonate facies in a Tertiary inland sea, Murray Basin, South Australia
- 883 C. Arenas, F. Gutiérrez, C. Osácar and C. Sancho.
  Sedimentology and geochemistry of fluvio-lacustrine
  tufa deposits controlled by evaporite solution
  subsidence in the central Ebro Depression, NE Spain
- 911 Book reviews

#### NUMBER 5

- 915 I. G. Macintyre, L. Prufert-Bebout and R. P. Reid. The role of endolithic cyanobacteria in the formation of lithified laminae in Bahamian stromatolites
- 923 C. S. Bristow, P. N. Chroston and S. D. Bailey. The structure and development of foredunes on a locally prograding coast: insights from ground-penetrating radar surveys, Norfolk, UK
- 945 V. P. Rao, S. W. A. Naqvi, M. Dileep Kumar, D. Cardinal, A. Michard, D. V. Borole, E. Jacobs and R. Natarajan. A comparative study of Pleistocene phosphorites from the continental slope off western India
- 961 J. E. Andrews, M. Pedley and P. F. Dennis. Palaeoenvironmental records in Holocene Spanish tufas: a stable isotope approach in search of reliable climatic archives
- 979 N. R. Watts and R. Riding. Growth of rigid high-relief patch reefs, Mid-Silurian, Gotland, Sweden
- 995 I. G. Hwang and S. K. Chough. The Maesan fan delta, Miocene Pohang Basin, SE Korea: architecture and depositional processes of a high-gradient fan-delta-fed slope system
- 1011 A. S. Goudie, A. Colls, S. Stokes, A. Parker, K. White and A. Al-Farraj. Latest Pleistocene and Holocene dune construction at the north-eastern edge of the Rub al Khali, United Arab Emirates

- 1023 M. A. Bustillo and M. Bustillo. Miocene silcretes in argillaceous playa deposits, Madrid Basin, Spain: petrological and geochemical features
- 1039 C. Li, P. Wang, F. Daidu, D. Bing and L. Tiesong. Opencoast intertidal deposits and the preservation potential of individual laminae: a case study from east-central China

# Discussion/Reply

- 1053 P. Bertran and V. Jomelli. Discussion. Post-glacial colluvium in western Norway: depositional processes, facies and palaeoclimatic record
- 1058 L. H. Blikra and W. Nemec. Reply

#### NUMBER 6

- 1069 C. A. Ahmed Benan and G. Kocurek. Catastrophic flooding of an aeolian dune field: Jurassic Entrada and Todilto Formations, Ghost Ranch, New Mexico, USA
- 1081 M. J. Young, R. L. Gawthorpe and I. R. Sharp. Sedimentology and sequence stratigraphy of a transfer zone coarse-grained delta, Miocene Suez Rift, Egypt
- 1105 J. S. Laberg and T. O. Vorren. Flow behaviour of the submarine glacigenic debris flows on the Bear Island Trough Mouth Fan, western Barents Sea
- 1119 T. D. Frank and K. Bernet. Isotopic signature of burial diagenesis and primary lithological contrasts in periplatform carbonates (Miocene, Great Bahama Bank)
- 1135 B. L. Valero-Garcés, A. Delgado-Huertas, A. Navas, J. Machín, P. González-Sampériz and K. Kelts. Quaternary palaeohydrological evolution of a playa lake: Salada Mediana, central Ebro Basin, Spain
- 1157 I. R. Smith. Diamictic sediments within high Arctic lake sediment cores: evidence for lake ice rafting along the lateral glacial margin
- 1181 R. B. Wynn, P. P. E. Weaver, G. Ercilla, D. A. V. Stow and D. G. Masson. Sedimentary processes in the Selvage sediment-wave field, NE Atlantic: new insights into the formation of sediment waves by turbidity currents
- 1199 A. C. Kendall and N. M. Clegg. Pleistocene decalcification of Late Pliocene Red Crag shelly sands from Walton-on-the-Naze, England
- 1211 A. P. Jones and K. Omoto. Towards establishing criteria for identifying trigger mechanisms for soft-sediment deformation: a case study of Late Pleistocene lacustrine sands and clays, Onikobe and Nakayamadaira Basins, northeastern Japan
- 1227 Book reviews
- 1235 Errata
- 1237 Author index
- 1238 Acknowledgements